# 3d Brain Atlas Reconstructor Installation (Ubuntu)

- 1. Getting the code
- 2. Installing required packages
  - 1. Installation in Ubuntu 12.04 LTS
  - 2. Installation in Ubuntu 11.10
  - 3. Installation in Ubuntu 10.10 and Ubuntu 11.04
  - 4. Installation in Ubuntu 10.04
- 3. Troubleshooting
  - 1. Segmentation fault in Ubuntu 11.10

# Getting the code

It is assumed that the main directory dedicated for 3dBAR is /home/\$USERNAME/3dbar. if you want to install it in another directory, replace 3dbar with the desired path.

The latest stable version of 3dBAR software is available to <u>3dBAR online service</u> users from the account management panel.

To register as the service user fill out <u>the 3dBAR service registration form</u>. Then you will also be able to download 3dBAR directly using the link provided via email.

Unzip the file to your home directory and go to the 3dBAR directory:

```
mkdir ~/3dbar; unzip 3dbar.zip -d ~/3dbar; cd ~/3dbar;
```

The directories have the following purposes:

- bin: Holds all executable files, atlas parsers and auxiliary scripts
- lib: Holds the 3dBAR api
- atlases: Directory, where the source data, *CAF datasets* and reconstructed models are stored. Each dataset (denoted as DATASET NAME) contains the following subdirectories:
  - ♦ atlases/DATASET\_NAME/src : Here the source data is located. It can be placed manually by a user or downloaded from internet depending on a particular parser.
  - ♦ atlases/DATASET\_NAME/caf: This is the directory where a CAF dataset is generated by specific parsers.
  - atlases/DATASET\_NAME/reconstructions : The directory for reconstructed models.

Then follow instructions from README file to verify if the installation was successful.

# Installing required packages

#### Installation in Ubuntu 12.04 LTS

1. Install the Visualization Toolkit and other graphics libraries:

```
sudo apt-get install \
libvtk5.8 libvtk5-dev libvtk5.8-qt4 libvtk5-qt4-dev \
tk8.5 tk8.5-dev \
```

```
python-vtk libgtkgl2.0-1 libgtkgl2.0-dev libgtkglext1 librsvg2-2 python-nifti
```

2. Install python related packages:

```
sudo apt-get install \ python-gtkglext1 python-rsvg python-opengl python-numpy python-scipy python-wxgtk2.8 3. Other packages:
```

```
sudo apt-get install \
potrace pstoedit python-setuptools python-epydoc
```

#### Installation in Ubuntu 11.10

1. Install the Visualization Toolkit and other graphics libraries:

```
sudo apt-get install \
libvtk5.6 libvtk5-dev libvtk5.6-qt4 libvtk5-qt4-dev \
tk8.5 tk8.5-dev \
python-vtk libgtkgl2.0-1 libgtkgl2.0-dev libgtkglext1 librsvg2-2 python-nifti
```

2. Install python related packages:

3. Other packages:

```
sudo apt-get install \
potrace pstoedit python-setuptools python-epydoc
```

### Installation in Ubuntu 10.10 and Ubuntu 11.04

1. Install the Visualization Toolkit and other graphics libraries:

```
sudo apt-get install \
libvtk5.4 libvtk5-dev libvtk5.4-qt4 libvtk5-qt4-dev \
tk8.5 tk8.5-dev \
python-vtk libgtkgl2.0-1 libgtkgl2.0-dev libgtkglext1 librsvg2-2 python-nifti
```

2. Install python related packages:

3. Other packages:

```
sudo apt-get install \
potrace pstoedit python-setuptools python-epydoc
```

### Installation in Ubuntu 10.04

1. Install the Visualization Toolkit and other graphics libraries:

```
sudo apt-get install \
libvtk5.2 libvtk5-dev libvtk5.2-qt4 libvtk5-qt4-dev \
tk8.5 tk8.5-dev \
python-vtk libgtkgl2.0-1 libgtkgl2.0-dev libgtkglext1 librsvg2-2 python-nifti
```

2. Install python related packages:

```
sudo apt-get install \
python-gtkglext1 python-rsvg python-opengl python-numpy python-scipy python-wxgtk2.6
```

3. Other packages:

```
sudo apt-get install \
potrace pstoedit python-setuptools python-epydoc
```

# **Troubleshooting**

### Segmentation fault in Ubuntu 11.10

If the reconstructor crashes like that (numbers can vary):

```
$ ./3dbar.sh
./3dbar.sh: line 17: 2296 Segmentation fault python bin/reconstructor/gui.py
```

the reason can be a bug in the 'python-vtk' package installed in your system. Unfortunately there is no automated way to fix it - you have to do it manually:

1. Find a file named 'wxVTKRenderWindowInteractor.py'. It can be located in '/usr/share/pyshared/vtk/wx/' directory or in similar location:

```
$ find / -name 'wxVTKRenderWindowInteractor.py'
```

2. Edit the file with your favourite ASCII editor. In the example editor 'vim' is used and it is assumed that the path to the file is '/usr/share/pyshared/vtk/wx/wxVTKRenderWindowInteractor.py':

```
$ sudo vim /usr/share/pyshared/vtk/wx/wxVTKRenderWindowInteractor.py
```

3. Near 350th line of the file find a following line:

4. Add '\0' characters to the line to make it like below:

```
d = '_{s_{s_{s}}} (d[2:], 'void_p')
```

- 5. Save the modified file.
- 6. The bug should be fixed for now. Try running 3dBAR again. If this solution doesn't work let us know.